

SUBMITTAL:

JOB:


EXAMPLE

CV90

ACCESSORY

MOUNTING CLIP*


The mounting clips, constructed of high-temperature Noryl®, create an air gap, limiting heat transfer to the mounting surface. Package of five with screws.



EXAMPLE: **CVMC**

LAMPHOLDER CLIP*


Double festoon, nickel-plated brass lampholder clip snaps into CVMR track at any point a module is needed.



EXAMPLE: **CVLH**

TERMINAL BLOCK*


Set screw connections for power feeds and track connections where junction box is not required. Max. 10 AWG.



EXAMPLE: **CVTB**

90° FLEXIBLE TRACK CONNECTOR

For corner connections, flexible for various angles. Max. 10 AWG.






EXAMPLE: **CV90**


* Lampholder clips, terminal block, mounting clips, and screws are provided with each feed. Additional items may be purchased to expand or alter configurations or as replacement parts.

COMPLETE JUNCTION BOX

Single complete junction box with terminal block and cover for power feed of CVM, CVH, and CVMR Series. Max. 10 AWG.



End view with feed entry




End view with power entry

EXAMPLE: **CVJB**

REFLECTOR (CVM Series only)


Highly reflective white C.R.S. reflector mounts under Noryl® mounting clips, providing asymmetric distribution. Sold in straight segments only. Available in other configurations, consult factory for details.



45° Reflector

EXAMPLE: **CVR45-4**

(Specify length, nominal 1' - 8')



90° Reflector

EXAMPLE: **CVR90-4**


(Specify length, nominal 1' - 8')

MR11/MR16 MODULE (12V only)

Ball-swivel lamp socket. Fits 20W - 35W MR11 and 20W - 50W MR16 halogen bi-pin lamps. Lamp furnished by others.

NOTE: Addition of CVMR/12V (12V only) to CVM or CVH systems may require removal of one or more festoon lamps to stay within limits of 12V system. Consult installation instructions.

EXAMPLE: **CVMR/12V**



SUBMITTAL:

JOB:

EXAMPLE


CVWJB

ACCESSORY

MOUNTING CLIP*

Package of five white polycarbonate mounting clips with screws.


EXAMPLE: CVWMC



TERMINAL BLOCK*

Set screw connections for power feeds and track connections where junction box is not required. No. 10 AWG maximum.

EXAMPLE: CVTB




* Terminal block, mounting clips, and screws are provided with each feed. Extra items may be purchased as needed.

COMPLETE JUNCTION BOX

Single complete junction box with terminal block, cover, and cord grip for power feed of CVW Series. No. 10 AWG maximum.


EXAMPLE: CVWJB



MOUNTING EXTRUSION

White polycarbonate extrusion for precision mounting in straight lines. Specify total length in feet (provided in multiple units up to 8' each).

EXAMPLE: CVWME-__



SUBMITTAL:

JOB:

EXAMPLE

CV5XC12

LAMP

FESTOON REPLACEMENT LAMPS (10 lamp minimum per order)

	DESCRIPTION	CAT#
CVM SERIES	5-watt, 12V, clear xenon lamp	CV5XC12
	5-watt, 24V, clear xenon lamp	CV5XC24
	5-watt, 12V, frosted xenon lamp	CV5XF12
	5-watt, 24V, frosted xenon lamp	CV5XF24
CVH SERIES	10-watt, 12V, clear xenon lamp	CV10XC12
	10-watt, 24V, clear xenon lamp	CV10XC24
	10-watt, 12V, frosted xenon lamp	CV10XF12
	10-watt, 24V, frosted xenon lamp	CV10XF24

WEDGE BASE REPLACEMENT LAMPS (10 lamp minimum per order)

	DESCRIPTION	CAT#
CVW SERIES	3-watt, 12V, clear xenon lamp	CV3XCW12
	3-watt, 24V, clear xenon lamp	CV3XCW24
	3-watt, 12V, frosted xenon lamp	CV3XFW12
	3-watt, 24V, frosted xenon lamp	CV3XFW24
	5-watt, 12V, clear xenon lamp	CV5XCW12
	5-watt, 24V, clear xenon lamp	CV5XCW24
	5-watt, 12V, frosted xenon lamp	CV5XFW12
	5-watt, 24V, frosted xenon lamp	CV5XFW24



REPLACEMENT LAMPS

CVM, CVH, & CVW SERIES